

## Accelerating Plant Science with CyVerse Genomics Workflows, Data Management, and Training

Jason Williams – Lead, CyVerse – Education, Outreach, Training Cold Spring Harbor Laboratory

williams@cshl.edu [ ) @JasonWilliamsNY]













# **Slides and Tutorials**



# www.cyverse.org/sol2016















# **CyVerse Evolution**



## Vision:

Transforming science through data-driven discovery

## Mission:

Design, develop, deploy, and expand a national cyberinfrastructure for life science research, and train scientists in its use

**CyVerse 2016** Transforming Science Through Data-Driven Discovery

More than 30K users, PB of data, and hundreds of publications, courses, and discoveries





# **CyVerse Evolution**



*iPlant 2008* Empowering a New Plant Biology *iPlant 2013* Cyberinfrastructure for Life Science

**CyVerse 2016** Transforming Science Through Data-Driven Discovery





# CyVerse is Built for Data



Plant / Microbial

Animal

Biomedical Ecological/Climate

CyVerse supports all domains of life science





# **CyVerse Evolution**



DBI-0735191 and DBI-1265383

We are funded by the National Science Foundation

- We are your colleagues and collaborators!
- \$100 Million in investment
- Freely available to the community
- Spur national/international collaboration
- Cite CyVerse:

CyVerse.org/acknowledge-cite-cyverse





# What is Cyberinfrastructure?





# Cyberinfrastructure for Data-intensive Biology


- Data storage
- Software
- High-performance computing
- People

organized to solve problems of size and scope not otherwise solvable.





# Cyberinfrastructure for Data-intensive Biology





Platforms, tools, datasets

## Storage and compute

## Training and support






# What is available in CyVerse?





## **CyVerse Products**

- We strive to be the CI Lego blocks
- Danish 'leg godt' 'play well'
- Also translates as 'I put together' in Latin
- If a solution is not available you can craft your own using CyVerse Cl components







# **CyVerse Features**



#### Get Science Done

- Ability to access and manage data
- Software to analyze data
- Computing resources
- Skills and help to use software and interpret results



### **Ensure Reproducibility**

- Metadata management
- Ability to share data and workflows
- Open source sustainable tools




### Increase Productivity

- High-performance and scalable computing
- Ability automate and collaborate
- Funding spent on science, not software or hardware






## CyVerse product stack







# Data Store

The resources you need to share and manage data with your lab, colleagues and community

- ✓ Initial 100 GB allocation TB allocations available
- ✓ Automatic data backup
- Easy upload /download and sharing







# Discovery Environment

Hundreds of bioinformatics Apps in an easy-to-use interface

- ✓ A <u>platform</u> that can run almost any bioinformatics application
- Seamlessly integrated with data and high performance computing
- ✓ User extensible add your own applications







- ✓ Simple: quick access to hundreds of virtual machine images
- ✓ Flexible: fully customize your software setup
- ✓ Powerful: integrated with CyVerse computing and data resources







# Science APIs

Fully customize CyVerse resources

- ✓ Science-as-a-service platform
- ✓ Define your own compute, and storage resources (local and *CyVerse*)
- ✓ Build your own app store of scientific codes and workflows





# **DNA** DNA Subway

**SUBWAY** Educational workflows for Genomes, DNA Barcoding, RNA-Seq

- Commonly used bioinformatics tools in streamlined workflows
- ✓ Teach important concepts in biology and bioinformatics
- ✓ Inquiry-based experiments for novel discovery and publication of data







- ✓ Secure image storage, analysis, and data management
- ✓ Integrate existing applications or create new ones
- ✓ Custom visualization and image handling routines and APIs





# How can you do science in CyVerse?







Data Store architecture is built for metadata management

- Data within CyVerse maintains provenance and can be labeled using a variety of metadata templates or using custom schemas
- Direct submission of sequencing data to NCBI Sequence Read Archive
- Request DOIs and ARKs (Archival Resource Key) for permanent data identification









## Simple upload



#### markup, search, share

	https://de.iplantcollaborative.or	a/de/ C Q s	iearch	• •		9 la 4 4	, v		*
Se Discove	ry Environment						4	۱2	-
	Gata: Images					0000			
Deta	Upload - File - Edit - Down	ced • Share • Metadata • 🐣 Refresh	🟹 Trash -						
_	Navigation *	Manage Sharing			Netalls 😝 🗙	30			
	RNWSeq_datasets_	Selected file(s) / folder(s)				2004 Sep 17			
Apps	I is advanced_wo_R I is advanced_chip-sec	Name				2014 Sep 17			
14105	I b advanced_chip-sec	The second secon				6W1			
1 Martin	> 📁 agave_hackathon1					14			
Arabasa	E 🖓 alipathsig					19.46 KS			
and the second s	Image: Second					Select			
	> C festoc					5660X			
	🖂 gwas					6735091			
	> 📁 test_clataset	Who has access							
	<ul> <li>intersection in the second seco</li></ul>	Name Uwe Hilbert	Permisaions		-				
	Internet internet	Dwe Higert	own	*	×				
	# 🥵 02_fastqc	Dan Stanzione	own	~	x				
	▲ 🤪 SRR102 ► 💋 Icon	Branden Lau	own	~	×				
	E Con	Naim Meteori		~					
		Nam Materici	own	v	x				
		Search for users	<i>\$</i> 0	hoose Collabora	tors				
				Done	Cancel				

### publish


mirrors.iplantcollaborative.org/brows	e/iplant/home/shared	C Q Search	◆ 合 合 白 ♡ >	4 🔶 🛛 🖉 🗧 -	=
CYVERSE		CyVerse Hom	e Data Store Discovery Enviro	nment Atmosphere Abo	ut
🖙 shared					
🖙 LigninSystemsDB					
😂 aegis					
😂 commons_repo					
📴 oshl_ngs_edu	• • • R Home	- SRA - NCN × +			
a eartherw_dem_data	( ) ) https://www.ro	hi she eft an for	C 9, Search	1 4 4 6 5	
📴 abs	Resources O H		Te quitor		
🕞 Mirus					Sign in t
🖙 imicrobe	SRA	3RA 🖸			Search
iplant cbo sample data		Advances			
la iolant kobas	G MAA	AATAC	SRA		
Paliplant public text	AACGCC	CGT.			
la iplant_public_test	AACGCC	CAT CGTA	and allow for new discoveries by comparing	data sets. The SRA stores new sequenci	ing data and alignment information from
🖙 iplant_training	AACGCC	CGT	Sequence Read Archive (SRA) makes blobs and allow for new discovering blobs high throughout sequencing platforms, inclu SCUID Systems, Hindus Helszcoverill, Corre	data sets. The SRA stores raw sequenci ding Roche 454 GS System8, Illumina G	ng data and alignment information from enome Analyzer®, Applied Biosystems
iplant_training iplant_uk_training	AACGCC TTG T/	CGT	and allow for new discoveries by comparing high throughout sequencing platforms, inclu	data sets. The SRA stores raw sequenci ding Roche 454 GS System8, Illumina G	ng data and alignment information from enome Analyzer®, Applied Biosystems
iplant_training iplant_uk_training iplantcollaborative	Getting Started	CGT	and allow for new discoveries by comparing high throughout sequencing platforms, inclu	data sets. The SRA stores raw sequenci ding Roche 454 GS System8, Illumina G	ng data and alignment information from enome Analyzer8, Applied Biosystem: # SWRT8.
I plant_training I plant_uk_training I plantcollaborative I legume_wgd	Getting Started	CGT	and allow for new discoveries by comparing high throughput sequencing platforms, indu SOLID System®, Helicos Heliscope®, Comp	data sets. The SRA stores new sequenci ding Roche 454 GS System9, Illumina G plete Genomicalli, and Pacific Bioscience	ng data and alignment information from enome Analyzer8, Applied Biosysteme a SWRT8.
le (plant_training le (plant_uk_training le (plantcollaborative le (legume_wgd le onekp_plot		CGT	and allow for new discoveries by comparing high throughput ecountring plotforms, indu SOLID Systemit, Helicos Heliscopeth, Comp Tools and Software	data seta. The SRA stores new sequenci ding Roche 454 GS System9, Illumina G jointe Genomicelli, and Pacific Riceclence Related Reso	ng data and alignment information from enome Analyzer8, Applied Biosysteme a SWRT8.
Le plant, training Le plant, uk, training Le plantcollaborative Le legume_wgd Le onekp_pilot Le panzee	How to Submit Login to SRA Login to Sateriasion Portal	CGT	and also for nor discovering by comparing the high introdyces observable patients, inclu- SOLID Systemit, Halicos Helescopell, Comp Developed SPA Toolis Developed SPA Toolis SPA Toolis Documentation SPA-BLACT	data andThe SEA stores new expands data proche 454 S8 systems", lawrins of plane Genomically, and Pacific Bioscience Related Resor- Skemission-Portal Trace Archive doSaP Homes	ng data and alignment information from enome Analyzer8, Applied Biosysteme a SWRT8.
La (plant, training La (plant, uk, training La (plant, uk, training La (plantcollaborative La (plant, plant) La plant, phenotype_ontology, dar	How to Submit Login to SRA Login to Saterniation Portal SRA Handbook	CGT	and also for nor discoversity of comparing high Phroptoch conversity address SCLID Systemit, Haltos Helexcevit, Comp Tools and Software Destitued SRA Toxity SRA Toxity Desumentation SRA Toxity Desumentation SRA But Branser	data and. The SIM stores may sequent of only Rovie 446 Stoyeters", lumino di paire Genomicali, and Pacific Elescience Related Resol Submission Portal Trano Archive dollari Pinnes BioPhysicol	ng data and alignment information from enome Analyzer8, Applied Biosysteme a SWRT8.
Le plant, training Le plant, uk, training Le plantcollaborative Le legume_wgd Le onekp_pilot Le panzee	How to Submit Login to SRA Login to SRA Login to Sateritation Perfet SRA Handbook Deventoed Guide	CGT	and also for nor discovering by comparing the high introdyces observable patients, inclu- SOLID Systemit, Halicos Helescopell, Comp Developed SPA Toolis Developed SPA Toolis SPA Toolis Documentation SPA-BLACT	data andThe SEA stores new expands data proche 454 S8 systems", lawrins of plane Genomically, and Pacific Bioscience Related Resor- Skemission-Portal Trace Archive doSaP Homes	ng data and alignment information from enome Analyzer8, Applied Biosysteme a SWRT8.
La (plant, training La (plant, uk, training La (plant, uk, training La (plantcollaborative La (plant, plant) La plant, phenotype_ontology, dar	How to Submit Login to SRA Login to Saternission Portal SRA Handbook	CGT	and also for nor discoversity of comparing high Phroptoch conversity address SCLID Systemit, Haltos Helexcevit, Comp Tools and Software Destitued SRA Toxity SRA Toxity Desumentation SRA Toxity Desumentation SRA But Branser	data and. The SIM stores may sequent of only Rovie 446 Stoyeters", lumino di paire Genomicali, and Pacific Elescience Related Resol Submission Portal Trano Archive dollari Pinnes BioPhysicol	ng data and alignment information from enome Analyzer8, Applied Biosysteme a SWRT8.
La (plant, training La (plant, uk, training La (plant, uk, training La (plantcollaborative La (plant, plant) La plant, phenotype_ontology, dar	How to Submit Login to SRA Login to SRA Login to Sateritation Perfet SRA Handbook Deventoed Guide	CGT	and also for nor discoversity of comparing high Phroptoch conversity address SCLID Systemit, Haltos Helexcevit, Comp Tools and Software Destitued SRA Toxity SRA Toxity Desumentation SRA Toxity Desumentation SRA But Branser	data and. The SIM stores may sequent of only Rovie 446 Stoyeters", lumino di paire Genomicali, and Pacific Elescience Related Resol Submission Portal Trano Archive dollari Pinnes BioPhysicol	ng data and alignment information from enome Analyzer8, Applied Biosysteme a SWRT8.
La (plant, training La (plant, uk, training La (plant, uk, training La (plantcollaborative La (plant, plant) La plant, phenotype_ontology, dar	How to Submit Login to SRA Login to SRA Login to Sateritation Perfet SRA Handbook Deventoed Guide	CGT	and also for nor discoversity of comparing high Phroptoch conversity address SCLID Systemit, Haltos Helexcevit, Comp Tools and Software Destitued SRA Toxity SRA Toxity Desumentation SRA Toxity Desumentation SRA But Branser	data and. The SIM stores may sequent of only Rovie 446 Stoyeters", lumino di paire Genomicali, and Pacific Elescience Related Resol Submission Portal Trano Archive dollari Pinnes BioPhysicol	ng data and alignment information from enome Analyzer8, Applied Biosysteme a SWRT8.
La (plant, training La (plant, uk, training La (plant, uk, training La (plantcollaborative La (plant, plant) La plant, phenotype_ontology, dar	How to Submit Login to SRA Login to SRA Login to Sateritation Perfet SRA Handbook Deventoed Guide	CGT CGT CAT CTAG AA CGCC	and also for nor discoversity of comparing high Phroptoch conversity address SCLID Systemit, Haltos Helexcevit, Comp Tools and Software Destitued SRA Toxity SRA Toxity Desumentation SRA Toxity Desumentation SRA But Branser	data and. The SIM stores may sequent of only Rovie 446 Stoyeters", lumino di paire Genomicali, and Pacific Elescience Related Resol Submission Portal Trano Archive dollari Pinnes BioPhysicol	ng data and alignment information from enome Analyzer8, Applied Biosysteme a SWRT8.
La (plant, training La (plant, uk, training La (plant, uk, training La (plantcollaborative La (plant, plant) La plant, phenotype_ontology, dar	How to Submit Login to SRA Login to SRA Login to SRA Login to SRA Described Guide SRA Handbook SRA HANDBOOK S	CGT CATCAG AA CGCC	nd part and a strand de accorden de processor de la procesor de la processor de la processor d	dan wai. The BNA data new wanged have back of do down it wanne of have Generated, wart well and the end of the second of the second second of the second of the second down of the second of the second backmassion float Trans Archive Bachmassion Float Bachmassion Fl	re data and digramati riferrado na digramati na differencia na differencia and transformation and transformation and transformation and transformation and transformation and transformation and transformation and transformation and transformation and transformation and transformation and transformation and transformation and transforma
La (plant, training La (plant, uk, training La (plant, uk, training La (plantcollaborative La (plant, plant) La plant, phenotype_ontology, dar	How to Bulanti Login to SRA Login to SRA Developed Califie SRA Handbook Developed Califie SRA Fact Street (Logit)	CGT CATTAG AA CGCC	n of data trave datasets in processing updates, not application of the second processing of the	dan aka Tab BKA stora new servada kaka denerativa aka Patrick Bandana kaka denerativa aka Patrick Bandana Related Reso- Bandana di Gale Itana Banhand Banhand Banhand	ng data ang dagranet information from a data ang dagranet information from a data data data data data data data da









#### **RNA-Seq 1: Differential Expression**




#### **Transcriptome Assembly**




#### RNA-Seq 2: High-throughput




#### Genome Assembly



#### WQ-Maker Annotation




#### **Association Studies**








	Service Data: Images							0000		
Data			<ul> <li>Share • Metada</li> </ul>	ata 🔹 💝 Refr	esh			🕅 Trash -		
	Navigation	+ Im						etails >>		
-	Image: Second			/shared/iplant_	training/ars_workshop/I	-	q/02_fastqc/SRR1028	ALL & THE OF TOTALS TO THEM IS OLDERS		
Apps	V U XXC		Name		Last Modified	Size				
	I advant		Handler Contraction_le		2014 Sep 17 13:56:42	19.48 KB	~~ <i>₽</i>			
all a	I agave	hackathon	H = .		2014 Sep 17 13:56:42	92.1 KB	≈\$\$```?\$?			
<u>An</u>	🕨 📁 allpati	nsig	Per_base_gc		2014 Sep 17 13:56:42	14.97 KB	~~ <i>₽</i> ₽₽	Series density_plot.png		WT_hy5_volcano_plot.png
nalyses	🖻 📁 archiv	e	Per_base_n_		2014 Sep 17 13:56:42	7.6 KB	ቈቇዏ₽	density_plot.png		WT hy5 volcano plot.png
	4 🥥 ars_w				2014 Sep 17 13:56:43	8.3 KB	≈&≈≈		genes	genes: hy5/WT
	⊳ 📁 fa:		14 14 1		. 2014 Sep 17 13:56:43	31.9 KB	eg 🍰 🖓 🖉		genes	g_nesh njsjiri
ene_exp.di										
abular View	w: gene_exp.diff	gene_exp.diff								4-
Save  2	Refresh 🖕	🗙 🕴 🗆 Line Num	bers Skip First N Li	ine(s) 0	First Row Header		Editable			
	1	2	3	4	5	6	7			28 Ja
	gene id	gene	locus	sample_1	sample_2	status	value_1			- · · · · · · · · · · · · · · · · · · ·
t_id						NOTEST				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
-	AT1G01010	ANAC001	1:3630-5899	WT	hy5	NOTEST	0			
1G01010 1G01020	AT1G01010 AT1G01020	ARV1	1:5927-8737	WT	hy5	NOTEST	7.27837			(en)
1G01010 1G01020 1G01030	AT1G01010 AT1G01020 AT1G01030	ARV1 NGA3	1:5927-8737 1:11648-13714	WT WT	hy5 hy5	NOTEST NOTEST	7.27837	2 <sup>2</sup>		p value)
1G01010 1G01020 1G01030 1G01040	AT1G01010 AT1G01020 AT1G01030 AT1G01040	ARV1 NGA3 DCL1	1:5927-8737 1:11648-13714 1:23145-33153	WT WT WT	hy5 hy5 hy5	NOTEST NOTEST NOTEST	7.27837 1.18638 0.239843	Żi₂-		and a second sec
1G01010 1G01020 1G01030 1G01040 1G01046	AT1G01010 AT1G01020 AT1G01030 AT1G01040 AT1G01046	ARV1 NGA3 DCL1 MIR838A	1:5927-8737 1:11648-13714 1:23145-33153 1:23145-33153	WT WT WT WT	hyS hyS hyS hyS	NOTEST NOTEST NOTEST	7.27837 1.18638 0.239843 0	Aisu p		(antex d): 
IG01010 IG01020 IG01030 IG01040 IG01046 IG01050	AT1G01010 AT1G01020 AT1G01030 AT1G01040 AT1G01046 AT1G01050	ARV1 NGA3 DCL1 MIR838A AtPPa1	1:5927-8737 1:11648-13714 1:23145-33153 1:23145-33153 1:23145-33153	WT WT WT WT	hyS hyS hyS hyS hyS	NOTEST NOTEST NOTEST NOTEST OK	7.27837 1.18638 0.239843 0 9.06975	ensis Star		(antra d'Prog-
1601010 1601020 1601030 1601040 1601046 1601050 1601050	AT1G01010 AT1G01020 AT1G01030 AT1G01040 AT1G01046	ARV1 NGA3 DCL1 MIR838A	1:5927-8737 1:11648-13714 1:23145-33153 1:23145-33153	WT WT WT WT	hyS hyS hyS hyS	NOTEST NOTEST NOTEST	7.27837 1.18638 0.239843 0	eese geseg		
1601010 1601020 1601030 1601040 1601046 1601050 1601050 1601050	ATIG01010 ATIG01020 ATIG01030 ATIG01030 ATIG01040 ATIG01046 ATIG01050 ATIG01060	ARV1 NGA3 DCL1 MIR838A AtPPa1 LHY	1:5927-8737 1:11648-13714 1:23145-33153 1:23145-33153 1:23145-33153 1:23145-33153 1:33378-37871	WT WT WT WT WT	hyS hyS hyS hyS hyS hyS	NOTEST NOTEST NOTEST OK NOTEST	7.27837 1.18638 0.239843 0 9.06975 4.04534			
1601010 1601020 1601030 1601040 1601046 1601050 1601050 1601070 1601073	ATIG01010 ATIG01020 ATIG01020 ATIG01030 ATIG01040 ATIG01046 ATIG01050 ATIG01060 ATIG01070	ARV1 NGA3 DCL1 MIR838A AtPPa1 LHY AT1G01070	1:5927-8737 1:11648-13714 1:23145-33153 1:23145-33153 1:23145-33153 1:23145-33153 1:33378-37871 1:38751-40944	WT WT WT WT WT WT	hyS hyS hyS hyS hyS hyS hyS	NOTEST NOTEST NOTEST OK NOTEST NOTEST	7.27837 1.18638 0.239843 0 9.06975 4.04534 1.24918			
1601010 1601020 1601030 1601040 1601046 1601050 1601050 1601050 1601070 1601073 1601080 1601090	AT1601010 AT1601020 AT1601020 AT1601040 AT1601040 AT1601046 AT1601060 AT1601070 AT1601070 AT1601080 AT1601090	ARV1 NGA3 DCL1 MIR838A AtPPa1 LHY ATIG01070 ATIG01070 ATIG01070 ATIG01080 PDH-E1 ALPHA	1:5927-8737 1:11648-13714 1:23145-33153 1:23145-33153 1:23145-33153 1:3378-37871 1:38751-40944 1:44676-44787 1:45295-47019 1:47484-49286	WT WT WT WT WT WT WT WT WT WT	hyS hyS hyS hyS hyS hyS hyS hyS hyS hyS	NOTEST NOTEST NOTEST OK NOTEST NOTEST OK OK	7.27837 1.18638 0.239843 0 9.06975 4.04534 1.24918 0 1.8323 55.3618			(anto graduation of the second s
tt_ld 1601010 1601020 1601030 1601030 1601046 1601050 1601060 1601073 1601080 1601090 1601100	ATIG01010 ATIG01020 ATIG01030 ATIG01046 ATIG01050 ATIG01050 ATIG01050 ATIG01070 ATIG01073 ATIG01080	ARV1 NGA3 DCL1 MIR838A AtPPa1 LHY AT1G01070 AT1G01073 AT1G01080	1:5927-8737 1:11648-13714 1:23145-33153 1:23145-33153 1:23145-33153 1:33378-37871 1:38751-40944 1:44676-44787 1:45295-47019	WT WT WT WT WT WT WT WT WT	hyS hyS hyS hyS hyS hyS hyS hyS hyS hyS	NOTEST NOTEST NOTEST OK NOTEST NOTEST OK	2.27837 1.18638 0.239843 0 9.06975 4.04534 1.24918 0 13.8323			and of order





# DNA Subway Classroom applications





- Classroom-friendly RNA-Seq workflows
- More than 900Gbs Student-faculty projects analyzed in 36 genomes
- Online educational materials



- DNA Barcoding workflow
  - ~10,000 student-analyzed barcodes and 125 novel NCBI submissions
- Online educational materials





# How can I use CyVerse?





## Hands-on training Workshops that reach users where they are

## Tools & Services



- Two days; targeted to researchers
- Hands-on learning modules tailor to interests
- Individual consultations
- 1026 participants since 2011

### **Genomics in Education**



- Two days; targeted to educators
- Pair bioinformatics with classroom labs
- Help for generating lesson plans
- 748 participants since 2010





## **Online learning materials**

Documentation, tutorials, and help

Learning Center							
CYVERSE							
PRODUCTS	WELCOME TO THE LEARNING CENTER						
Products Overview	ABOUT THE LEARNING CENTER						
Atmosphere	The Learning Center provides valuable information about the CyVerse tools and platforms to help you learn abou						
BisQue Image Analysis	at your own pace and where to go for more help.						
Environment Data Store	KEY FEATURES						
Discovery Environment	Creating and managing an account, including resetting your password, retrieving a forgotten username or in						
DNA Subway	changing your email, and more						
Learning Center	Managing your data     Choosing the platform to help you solve your science problems						
Powered by CyVerse	Learning about Campus Helpers						
Science APIs	Getting help when you need it     Beading FAQs						
LEARNING CENTER	<ul> <li>Insuling Insuling Insuling Teaching Teaching Insuling Insuling</li></ul>						
Learning Center	TUTORIALS						
Create Account	TUTURIALS						



### Forum

iPlant Collaborative" Ask iPlant				
ALL UNANSWERED Se	arch or ask a question			۹
1,284 questions	Sort by » by date by activity	by answers b	y votes V RSS	E
Can I use the iPlant Data Store to CoGe PoweredBy/Plant DataStore	get a genome into CoGe?	3 votes Jan 12 '13	1 63 answer view	NS
Incomplete transfer of results fro	m TACC back to DE	3 votes	1 37 answer view Nov 20115 Hor	
How to make an App public? DiscoveryEnvironment documentation		2 votes	3 43 answers view	
Problems with uploading data		2 votes	5 10 answers Dec 16 12 m	NS
Error installing R package		2 votes	5 57 answers view	

- cyverse.org/learning-center
- Tutorials and quick-starts

- wiki.cyverse.org
- Documentation

- <u>ask.iplantcollaborative.org</u>
- Community help/Q&A







## **CyVerse Executive Team**





TEXAS ADVANCED COMPUTING CENTER

Matt Vaughn

Doreen Ware Dave Micklos

Cold

Spring Harbor

Laboratory


CyVerse is supported by the National Science Foundation under Grant No. DBI-0735191 and DBI-1265383.







# Getting Data into CyVerse









- Store any type of file related to your research
- Move files seamlessly between CyVerse platforms
- Automate file transfers
- Share files with lab members, collaborators, and communities







## Point-and-click



Cyberduck



Discovery Environment

## Command line

A jasonwilliams — bash — 44×11
 C- /iplant/home/williams/analyses/Soapdeno
 vo\_2.04b\_analysis1-2013-09-18-13-35-36.219
 C- /iplant/home/williams/analyses/Soapdeno
 vo\_2.04b\_analysis1\_47-2013-09-18-22-50-52.01
 G
 C- /iplant/home/williams/analyses/TASSEL\_4
 .3.0\_\_MLM\_analysis1-2013-09-11-20-17-30.232
 C- /iplant/home/williams/analyses/TASSEL\_4
 .3.0\_\_MLM\_analysis1-2013-09-12-14-52-35.844
 C- /iplant/home/williams/analyses/Test\_of\_
 New\_App\_analysis1-2013-10-25-14-40-49.857

iCommands







- Simple upload/download for small files
- Bulk upload files and folders (<10GB)</li>
- Import from URL (no size limit)

## Advantage +

Covers most upload/download sharing needs



## **Disadvantage** -

Some size/speed limitations






- Drag and drop files and folders
- No size limit, file editing/previews
- Easy Desktop functionality

## Advantage +

More like desktop file systems



## **Disadvantage** -

No permissions/metadata control








- Full flexibility
- Ability to script and automate
- Access from terminal/server

## Advantage +

Customizability




## **Disadvantage** -

Requires some command line expertise





# Cyberduck and iCommands Demo







## **Discovery Environment**







### Discovery Environment

- $\checkmark\,$  A <u>platform</u> that can run almost any bioinformatics application
- ✓ Seamlessly integrated with data and high performance computing
- ✓ User extensible add your own applications










- Upload / Download files and folders
- Share files via URL (Public Links)
- Share files/folders with other users












- Run hundreds of bioinformatics Apps
- Build automated workflows
- Modify Apps or integrate new ones








#### Discovery Environment Overview

View history, find results, reproduce analyses, optimize parameters




- Monitor job status and find results
- Cancel jobs or re-launch jobs
- Detailed job history







## **Discovery Environment Demo**









**Task:** Take unaligned DNA sequences in FASTA format and create a multiple alignment

- ✓ View sample data in iPlant Data Store
- ✓ Launch a job using the MUSCLE sequence alignment app
- ✓ Monitor the job progress and view results





# Atmosphere










- ✓ Simple: 1-click access to hundreds of virtual machine images
- ✓ Flexible: Fully customize your software setup
- ✓ Powerful: Integrated with CyVerse computing and data resources














#### Atmosphere Overview

Largest, easiest to use cloud for Life Sciences

	E <sup>-</sup> BETA	Dashboard	🖆 Projects	H Images	Providers	<ul><li>Help</li></ul>
Getting Started						
						~
	Launch New	v Instance	Browse Help	Resources	Change	Your Settings
	Browse Atmosphere's list of available images and select one to launch a new instance.		View a video tutorial, read the how-to guides, or email the Atmosphere support team.		Modify your account settings, view your resource quota, or request more resources.	

- Choose an existing image or customize
- Instances up to 16-Core / 128 GB RAM
- Access via shell or VNC
- Share you image with selected users, or make them public





- Run the software and data that are monopolizing your laptop/desktop
- Use desktop enabled images to run visually oriented programs (GUI)
- SUDO access manage complex dependencies
- Uniform computing setups for your lab, collaborators, and students
- Make your own software available to a larger user community






## Atmosphere Demo













www.realvnc.com/download/viewer www.putty.org





#### Where to go from here:





- Get Started Guide
- Tutorials and Videos
- Documentation

#### **Upcoming Events**

- Workshops
- Webinars





#### **Slides and Tutorials**



#### www.cyverse.org/sol2016













